

Section 4

QR COUPLERS & VALVES

TAIPAN

acting on impulse...

Can't find what you're looking for? Contact us -



1300 654 782



07 5428 1311

All part numbers displayed in **BOLD ITALICS** are new items that may not be in stock as yet, please contact us for further details.

Agriculture Couplers

Manufactured from zinc plated carbon steel. Hardened ball contact areas. Standard seals are nitrile, back up rings are PTFE. Viton seals are available on request.



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | | Cap/Plug |
|-------------|---------------------|---------------|---------------------|--|--------------|
| KQRB-04F | 300 | 1/4" BSPP | 12 | | KQRC-04P-ANV |
| KQRB-04M | 300 | 1/4" BSPP | 12 | | KQRC-04C-ANV |
| KQRB-06F | 250 | 1/2" BSPP | 23 | | KQRC-06P-ANV |
| KQRB-06M | 250 | 3/8" BSPP | 23 | | KQRC-06C-ANV |
| KQRB-08F | 200 | 1/2" BSPP | 30 | | KQRC-08P-ANV |
| KQRB-08M | 200 | 1/2" BSPP | 30 | | KQRC-08C-ANV |

A-SERIES HI-Pressure ISO16028 Flat Face Couplers

Flat interface allows easy cleaning. Low spill, low air inclusion. Safety locking sleeve. 12-20 locking balls for optimum life. 3/8" sizes meets HTMA interchange dimensions.



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Coupler Body Size | Male Tip Diameter |
|--------------|---------------------|---------------|---------------------|-------------------|-------------------|
| KQRF-02-02AF | 500 | 1/8" BSPP | 3 | 6.3 | |
| KQRF-02-02AM | 500 | 1/8" BSPP | 3 | 6.3 | |
| KQRF-04-04F | 400 | 1/4" BSPP | 12 | 6.3 | 16.15 |
| KQRF-04-04M | 400 | 1/4" BSPP | 12 | 6.3 | 16.15 |
| KQRF-06-06F | 350 | 3/8" BSPP | 23 | 10 | 19.7 |
| KQRF-06-06M | 350 | 3/8" BSPP | 23 | 10 | 19.7 |



| | | | | | |
|------------------------|-----|------------------|----|------|------|
| KQRF-06-08F | 350 | 1/2" BSPP | 23 | 10 | 19.7 |
| KQRF-06-08F-UNO | 350 | 3/4" UNO | 23 | 10 | 19.7 |
| KQRF-06-08M | 350 | 1/2" BSPP | 23 | 10 | 19.7 |
| KQRF-06-08M-UNO | 350 | 3/4" UNO | 23 | 10 | 19.7 |
| KQRF-08-08AF | 350 | 1/2" BSPP | 45 | 12.5 | 24.5 |
| KQRF-08-08AM | 350 | 1/2" BSPP | 45 | 12.5 | 24.5 |
| KQRF-08-10F-5/8ORFS BH | 350 | 1" ORFS BULKHEAD | 45 | 12.5 | 24.5 |
| KQRF-08-10M-5/8ORFS BH | 350 | 1" ORFS BULKHEAD | 45 | 12.5 | 24.5 |

Italicized part numbers are able to connect under pressure

Interchanges with: DNP PLT4, STUCCHI FIRG/A SERIES, Faster 2FFI (up to 1/2") & FFN38, Parker FF (3/8" only), Hansen QA, Ryco R110-06/08, Safeway FF49, Aeroquip FD89/FD49

| | | | | | |
|----------------------------|-----|-------------------|----|------|------|
| <i>KQRF-08-08M-CUP</i> | 350 | 1/2" BSPP | 45 | 12.5 | 24.5 |
| KQRF-08-10F UNO | 350 | 7/8" UNO | 45 | 12.5 | 24.5 |
| KQRF-08-10F-7/8JICBH | 350 | 7/8" JIC BULKHEAD | 45 | 12.5 | 24.5 |
| KQRF-08-10F-UNOHP | 350 | 7/8" UNO | 45 | 12.5 | 24.5 |
| KQRF-08-10M UNO | 350 | 7/8" UNO | 45 | 12.5 | 24.5 |
| KQRF-08-10M-7/8JICBH | 350 | 7/8" JIC BULKHEAD | 45 | 12.5 | 24.5 |
| <i>KQRF-08-10M-UNO-CUP</i> | 350 | 7/8" UNO | 45 | 12.5 | 24.5 |
| KQRF-08-12F | 350 | 3/4" BSPP | 45 | 12.5 | 24.5 |
| KQRF-08-12F UNO | 350 | 1 1/16" UNO | 45 | 12.5 | 24.5 |



| | | | | | |
|----------------------------|-----|-------------|----|------|------|
| KQRF-08-12M | 350 | 3/4" BSPP | 45 | 12.5 | 24.5 |
| KQRF-08-12M UNO | 350 | 1 1/16" UNO | 45 | 12.5 | 24.5 |
| <i>KQRF-08-12M UNO-CUP</i> | 350 | 1 1/16" UNO | 45 | 12.5 | 24.5 |
| KQRF-10-12F-BSP | 350 | 3/4" BSPP | 74 | 16 | 27 |
| KQRF-10-12F-UNO | 350 | 1 1/16" UNO | 74 | 16 | 27 |
| KQRF-10-12M-BSP | 350 | 3/4" BSPP | 74 | 16 | 27 |
| KQRF-10-12M-UNO | 350 | 1 1/16" UNO | 74 | 16 | 27 |



| | | | | | |
|-----------------|-----|-------------|-----|----|------|
| KQRF-12-12F BSP | 350 | 3/4" BSPP | 100 | 19 | 29.9 |
| KQRF-12-12F UNO | 350 | 1 1/16" UNO | 100 | 19 | 29.9 |
| KQRF-12-12M BSP | 350 | 3/4" BSPP | 100 | 19 | 29.9 |
| KQRF-12-12M-UNO | 350 | 1 1/16" UNO | 100 | 19 | 29.9 |
| KQRF-12-16F | 350 | 1" BSPP | 100 | 19 | 29.9 |
| KQRF-12-16F-UNO | 350 | 1 5/16" UNO | 100 | 19 | 29.9 |
| KQRF-12-16M | 350 | 1" BSPP | 100 | 19 | 29.9 |
| KQRF-12-16M-UNO | 350 | 1 5/16" UNO | 100 | 19 | 29.9 |
| KQRF-16-16F BSP | 350 | 1" BSPP | 189 | 25 | 36 |
| KQRF-16-16F-UNO | 350 | 1 5/16" UNO | 189 | 25 | 36 |

Continued on the following page

QR COUPLERS



A-SERIES HI-Pressure ISO16028 Flat Face Couplers Continued...



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Coupler Body Size | Male Tip Diamete |
|-----------------|---------------------|---------------|---------------------|-------------------|------------------|
| KQRF-16-16M BSP | 350 | 1" BSPP | 189 | 25 | 36 |
| KQRF-16-16M-UNO | 350 | 1 5/16" UNO | 189 | 25 | 36 |
| KQRF-16-20F | 350 | 1 1/4" BSPP | 189 | 25 | 36 |
| KQRF-16-20M | 350 | 1 1/4" BSPP | 189 | 25 | 36 |
| KQRF-20-20F | 250 | 1 1/4" BSPP | 379 | 31.5 | 57 |
| KQRF-20-20M | 250 | 1 1/4" BSPP | 379 | 31.5 | 57 |
| KQRF-24-24F | 250 | 1 1/2" BSPP | 379 | 31.5 | 57 |
| KQRF-24-24M | 250 | 1 1/2" BSPP | 379 | 31.5 | 57 |

ISO 14541 Screw Together Poppet Couplers

Interchanges with: DNP PVV3, Stucchi VD series, Faster CVV, Parker QHPA & Ryco R120



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Cap/Plug |
|-----------------------|---------------------|---------------|---------------------|-------------|
| <i>KQRS-04F-VD</i> | 350 | 1/4" BSPP | 12 | KQRC-04C-VD |
| <i>KQRS-04M-VD</i> | 350 | 1/4" BSPP | 12 | KQRC-04P-VD |
| <i>KQRS-06F-VD</i> | 325 | 3/8" BSPP | 23 | KQRC-06C-VD |
| <i>KQRS-06M-VD</i> | 325 | 3/8" BSPP | 23 | KQRC-06P-VD |
| <i>KQRS-08F-VD</i> | 300 | 1/2" BSPP | 45 | KQRC-08C-VD |
| <i>KQRS-08M-VD</i> | 300 | 1/2" BSPP | 45 | KQRC-08P-VD |
| <i>KQRS-12F-VD</i> | 250 | 3/4" BSPP | 106 | KQRC-12C-VD |
| <i>KQRS-12M-VD</i> | 250 | 3/4" BSPP | 106 | KQRC-12P-VD |
| <i>KQRS-16-12F-VD</i> | 250 | 3/4" BSPP | 189 | KQRC-16C-VD |
| <i>KQRS-16-12M-VD</i> | 250 | 3/4" BSPP | 189 | KQRC-16P-VD |
| <i>KQRS-16F-VD</i> | 250 | 1" BSPP | 189 | KQRC-16C-VD |
| <i>KQRS-16M-VD</i> | 250 | 1" BSPP | 189 | KQRC-16P-VD |

Italicized part numbers are able to connect under pressure

ISO 7241-1 SERIES A Poppet Couplers

Manufactured from zinc plated carbon steel. Hardened ball contact areas. Standard seals are nitrile, back up rings are PTFE. Viton seals are available on request.



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Cap/Plug |
|--------------------------|---------------------|---------------|---------------------|---------------|
| KQRP-04F-A | 250 | 1/4" BSPP | 12 | KQRC-04P-A |
| KQRP-04M-A | 250 | 1/4" BSPP | 12 | KQRC-04C-A |
| KQRP-06F-A | 250 | 3/8" BSPP | 23 | KQRC-06P-A |
| KQRP-06M-A | 250 | 3/8" BSPP | 23 | KQRC-06C-A |
| KQRP-08F-A/NV-3/4UNO-PP | 250 | 3/4" UNO | 45 | KQRC-08P-A/NV |
| KQRP-08F-7/8UNO | 250 | 7/8" UNO | 45 | KQRC-08P-ANV |
| KQRP-08F-A/NV | 250 | 1/2" BSPP | 45 | KQRC-08P-ANV |
| <i>KQRP-08F-A/NV-CUP</i> | 250 | 1/2" BSPP | 45 | KQRC-08P-ANV |
| KQRP-08F-PP | 250 | 1/2" BSPP | 45 | KQRC-08P-ANV |
| KQRP-08M-A/NV-3/4UNO | 250 | 3/4" UNO | 45 | KQRC-08C-ANV |
| KQRP-08M-7/8UNO | 250 | 7/8" UNO | 45 | KQRC-08C-ANV |
| KQRP-08M-A/NV | 250 | 1/2" BSPP | 45 | KQRC-08C-ANV |
| <i>KQRP-08M-A/NV-CUP</i> | 250 | 1/2" BSPP | 45 | KQRC-08C-ANV |
| KQRP-12F-A | 250 | 3/4" BSPP | 106 | KQRC-12P-A |
| KQRP-12M-A | 250 | 3/4" BSPP | 106 | KQRC-12C-A |
| KQRP-16F-A | 200 | 1" BSPP | 100 | KQRC-16P-A |
| KQRP-16M-A | 200 | 1" BSPP | 189 | KQRC-16C-A |
| KQRP-20F-A | 200 | 1 1/4" BSPP | 379 | KQRC-20P-A |
| KQRP-20M-A | 200 | 1 1/4" BSPP | 379 | KQRC-20C-A |
| KQRP-24F-A | 60 | 1 1/2" BSPP | 379 | KQRC-24P-A |
| KQRP-24M-A | 60 | 1 1/2" BSPP | 379 | KQRC-24C-A |

Interchanges with: DNP PAV1, STUCCHI BIR, Faster ANV, Hansen HA, Parker 6600, 2000 and Aeroquip 5600, G5600, Ryco R81/82(1/2,3/4&1"), Safeway 556



ISO 7241-1 SERIES B Poppet Couplers

Manufactured from zinc plated carbon steel. Hardened ball contact areas. Standard seals are nitrile, back up rings are PTFE. Viton seals are available on request.

Interchanges with: DNP PBV1, Faster HNV, Hansen HK, Parker 60 Series - H, AEROQUIP 60B/F6600 and Safeway S10



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | | Cap/Plug |
|-------------|---------------------|---------------|---------------------|--|------------|
| KQRP-06F-B | 250 | 3/8" BSPP | 23 | | KQRC-06P-B |
| KQRP-06M-B | 250 | 3/8" BSPP | 23 | | KQRC-06C-B |
| KQRP-08F-B | 250 | 1/2" BSPP | 45 | | KQRC-08P-B |
| KQRP-08M-B | 250 | 1/2" BSPP | 45 | | KQRC-08C-B |
| KQRP-12F-B | 250 | 3/4" BSPP | 106 | | KQRC-12P-B |
| KQRP-12M-B | 250 | 3/4" BSPP | 106 | | KQRC-12C-B |
| KQRP-16F-B | 200 | 1" BSPP | 189 | | KQRC-16P-B |
| KQRP-16M-B | 200 | 1" BSPP | 189 | | KQRC-16C-B |

ISO 7241-1 B SERIES B Poppet Couplers (Carpet Cleaners)

Manufactured BRASS. Standard seals are nitrile, back up rings are PTFE. Viton seals are available on request.



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | | Cap/Plug |
|------------------|---------------------|---------------|---------------------|--|------------|
| KQRP-04F-B-BRASS | 200 | 1/4" BSPP | 12 | | KQRC-04P-B |
| KQRP-04M-B-BRASS | 200 | 1/4" BSPP | 12 | | KQRC-04C-B |

Jacking Couplers

Designed for high pressure hydraulic applications such as jacking systems.



| Part Number | Pressure Rating/Bar | Thread | Rated Flow Rate L/M | | Male Tip Diameter |
|---------------|---------------------|-----------|---------------------|--|-------------------|
| KQRJ-04F | 720 | 1/4" NPTM | 12 | | |
| KQRJ-04M | 720 | 1/4" NPTF | 12 | | |
| KQRJ-06F-NPTF | 720 | 3/8" NPTF | 23 | | |
| KQRJ-06F-NPTM | 720 | 3/8" NPTM | 23 | | |
| KQRJ-06M | 720 | 3/8" NPTF | 23 | | |
| KQRJFF-06F | 700 | 3/8" NPTF | 12 | | 16.6 |
| KQRJFF-06M | 700 | 3/8" NPTF | 12 | | 16.6 |

NV Series Poppet Couplers

Interchanges with: DNP PDV1, Parker 4000 Series & Faster NV Series



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | | Cap/Plug |
|-------------|---------------------|---------------|---------------------|--|-------------|
| KQRP-04F-NV | 400 | 1/4" BSPP | 12 | | KQRC-04P-NV |
| KQRP-04M-NV | 400 | 1/4" BSPP | 12 | | KQRC-04C-NV |
| KQRP-06F-NV | 350 | 3/8" BSPP | 23 | | KQRC-06P-NV |
| KQRP-06M-NV | 350 | 3/8" BSPP | 23 | | KQRC-06C-NV |
| KQRP-12F-NV | 250 | 3/4" BSPP | 106 | | KQRC-12P-NV |
| KQRP-12M-NV | 250 | 3/4" BSPP | 106 | | KQRC-12C-NV |
| KQRP-16F-NV | 250 | 1" BSPP | 189 | | KQRC-16P-NV |
| KQRP-16M-NV | 250 | 1" BSPP | 189 | | KQRC-16P-NV |

PBR Interchange Poppet Couplers

Manufactured from zinc plated carbon steel. Hardened ball contact areas. Standard seals are nitrile, back up rings are PTFE. Viton seals are available on request.



| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Cap/Plug |
|--------------|---------------------|---------------|---------------------|--------------|
| KQRP-16F-PBR | 230 | 1" BSPP | 100 | KQRC-16P-PBR |
| KQRP-16M-PBR | 230 | 1" BSPP | 100 | KQRC-16P-PBR |

Screw Together Flat Face Couplers

Interchanges with: DNP PST4, Stucchi VEP series, Aeroquip FD96



Italicized part numbers are able to connect under pressure

| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Cap/Plug |
|---------------------------|---------------------|---------------|---------------------|----------|
| <i>KQRS-08-08F-FF-BSP</i> | 350 | 1/2" BSPP | 45 | |
| <i>KQRS-08-08M-FF-BSP</i> | 350 | 1/2" BSPP | 45 | |
| <i>KQRS-10-12F-FF-BSP</i> | 325 | 3/4" BSPP | 74 | |
| <i>KQRS-10-12M-FF-BSP</i> | 325 | 3/4" BSPP | 74 | |
| <i>KQRS-12-16F-FF-BSP</i> | 325 | 1" BSPP | 100 | |
| <i>KQRS-12-16M-FF-BSP</i> | 325 | 1" BSPP | 100 | |
| <i>KQRS-16-20F-FF-BSP</i> | 300 | 1/4" BSPP | 189 | |
| <i>KQRS-16-20M-FF-BSP</i> | 300 | 1/4" BSPP | 189 | |
| <i>KQRS-24-24F-FF-BSP</i> | 300 | 1 1/2" BSPP | 757 | |
| <i>KQRS-24-24M-FF-BSP</i> | 300 | 1 1/2" BSPP | 757 | |

STUCCI IRH SERIES TEMA Interchange Couplers

Manufactured from zinc plated carbon steel. Hardened ball contact areas. Double o'ring and backup for extra sealing capacity.



Interchanges with: TEMA T and H series couplers

| Part Number | Pressure Rating/Bar | Female Thread | Rated Flow Rate L/M | Cap/Plug | Seal kit |
|-------------------|---------------------|---------------|---------------------|-----------------|------------------|
| KQRT-04F | 400 | 1/4" BSPP | 12 | KQRC-04P-TEMA | |
| KQRT-04M | 400 | 1/4" BSPP | 12 | KQRC-04C-TEMA | |
| KQRT-06F | 370 | 3/8" BSPP | 23 | KQRC-06P-B/TEMA | |
| KQRT-06M | 370 | 3/8" BSPP | 23 | KQRC-06C-B/TEMA | |
| KQRT-08F | 330 | 1/2" BSPP | 45 | KQRC-08P-B/TEMA | KQRT-08-SEAL KIT |
| <i>KQRT-08F-E</i> | 330 | 1/2" BSPP | 45 | KQRC-08P-B/TEMA | KQRT-08-SEAL KIT |
| KQRT-08M | 330 | 1/2" BSPP | 45 | KQRC-08C-B/TEMA | |
| <i>KQRT-12F</i> | 270 | 3/4" BSPP | 106 | KQRC-12P-TEMA | KQRT-12-SEAL KIT |
| <i>KQRT-12F-E</i> | 270 | 3/4" BSPP | 106 | KQRC-12P-TEMA | KQRT-12-SEAL KIT |
| KQRT-12M | 270 | 3/4" BSPP | 106 | KQRC-12C-TEMA | |
| KQRT-16F | 270 | 1" BSPP | 189 | KQRC-16P-TEMA | KQRT-16 SEAL KIT |
| <i>KQRT-16F-E</i> | 270 | 1" BSPP | 189 | KQRC-16P-TEMA | KQRT-16 SEAL KIT |
| KQRT-16M | 270 | 1" BSPP | 189 | KQRC-16C-TEMA | |
| <i>KQRT-16M-E</i> | 270 | 1" BSPP | 189 | KQRC-16C-TEMA | |

Test Point Couplings



| Part Number | | | | | |
|-------------------------|--|--|--|--|--|
| SMK207/16UNO | | | | | |
| SMK20G 1/4PC - 1/4BSPPM | | | | | |
| SMK20R1/8KPD | | | | | |

Can't find what you're looking for? Contact us -




1300 654 782



07 5428 1311


All part numbers displayed in **BOLD ITALICS** are new items that may not be in stock as yet, please contact us for further details.

Plugs - Caps - Seal Kits




| Part Number | Type | Fits | Material |
|---------------------|------|-----------------------|-------------|
| KQRC-04C-A | Cap | ISO A | PVC |
| KQRC-04C-FF | Cap | FLAT FACE FEMALE | PVC |
| KQRC-04C-J | Cap | JACKING COUPLER | STEEL |
| KQRC-04C-NV | Cap | FASTER | PVC |
| KQRC-04C-TEMA | Cap | TEMA | PVC / NYLON |
| KQRC-04P-A | Plug | ISO A | PVC |
| KQRC-04P-FF | Cap | FLAT FACE MALE | PVC |
| KQRC-04P-NV | Plug | FASTER | PVC |
| KQRC-04P-TEMA | Plug | TEMA | PVC / NYLON |
| KQRC-06C-A | Cap | ISO A | PVC |
| KQRC-06C-B/TEMA | Cap | TEMA / ISO B | PVC / NYLON |
| KQRC-06C-J | Cap | JACKING COUPLER | STEEL |
| KQRC-06C-NV | Cap | FASTER | PVC |
| KQRC-06P-A | Plug | ISO A | PVC |
| KQRC-06P-B/TEMA | Plug | TEMA / ISO B | PVC / NYLON |
| KQRC-06P-J | Plug | JACKING COUPLER | STEEL |
| KQRC-06P-NV | Plug | FASTER | PVC |
| KQRC-08C-A/NV-BLACK | Cap | ISO A | PVC |
| KQRC-08C-ANV-ORANGE | Cap | ISO A | PVC |
| KQRC-08C-ANV-RED | Cap | ISO A | PVC |
| KQRC-08C-B/TEMA | Cap | TEMA / ISO B | PVC / NYLON |
| KQRC-08C-FF | Cap | FLAT FACE FEMALE | PVC |
| KQRC-08P-A/NV-BLACK | Plug | ISO A | PVC |
| KQRC-08P-ANV-ORANGE | Plug | ISO A | PVC |
| KQRC-08P-ANV-RED | Plug | ISO A | PVC |
| KQRC-08P-B/TEMA | Plug | TEMA / ISO B | PVC / NYLON |
| KQRC-08P-FF | Plug | FLAT FACE MALE | PVC |
| KQRC-12C-A | Cap | ISO A | PVC |
| KQRC-12C-NV | Cap | FASTER | PVC |
| KQRC-12C-TEMA | Cap | TEMA | PVC / NYLON |
| KQRC-12C-VD | Cap | SCREW TOGETHER POPPET | ALUMINUM |
| KQRC-12F-FF | Cap | FLAT FACE FEMALE | PVC |
| KQRC-12M-FF | Cap | FLAT FACE MALE | PVC |
| KQRC-12P-A | Plug | ISO A | PVC |
| KQRC-12P-NV | Plug | FASTER | PVC |
| KQRC-12P-TEMA | Plug | TEMA | PVC |
| KQRC-12P-VD | Plug | SCREW TOGETHER POPPET | ALUMINUM |
| KQRC-16C-A | Cap | ISO A | PVC |
| KQRC-16C-NV | Cap | FASTER | PVC |
| KQRC-16C-PBR | Cap | PBR | PVC |
| KQRC-16C-TEMA | Cap | TEMA | |
| KQRC-16C-VD | Cap | SCREW TOGETHER POPPET | ALUMINUM |
| KQRC-16P-A | Plug | ISO A | PVC |
| KQRC-16P-NV | Plug | FASTER | PVC |
| KQRC-16P-PBR | Plug | PBR | PVC |
| KQRC-16P-TEMA | Plug | TEMA | PVC / NYLON |
| KQRC-16P-VD | Plug | SCREW TOGETHER POPPET | PVC |

Seal Kits

|  | Part Number | | | | | |
|---|-------------------|--|--|--|--|--|
| | KQRP-08F-A/NV-SK | | | | | |
| | KQRP-16SK-PBR | | | | | |
| | KQRT-08F-SEAL KIT | | | | | |
| | KQRT-12-SEAL KIT | | | | | |
| | KQRT-16-SEAL KIT | | | | | |

Valves

Straight Valves

|  | Part Number | Pressure Rating/Bar | Female Thread | | | |
|---|-------------|---------------------|---------------|--|--|--|
| | HPBV-04 | 500 | 1/4" BSPP | | | |
| | HPBV-06 | 500 | 3/8" BSPP | | | |
| | HPBV-08 | 500 | 1/2" BSPP | | | |
| | HPBV-12 | 315 | 3/4" BSPP | | | |
| | HPBV-16 | 315 | 1" BSPP | | | |
| | HPBV-20 | 315 | 1 1/4" BSPP | | | |

Can't find what you're looking for? Contact us -




1300 654 782



07 5428 1311

All part numbers displayed in **BOLD ITALICS** are new items that may not be in stock as yet, please contact us for further details.



YOU CAN NOW ORDER ONLINE 24/7
SIGN UP, IT`S FREE!

www.hoseandfittings.com.au



acting on impulse...